


Nuclear Quadrupole Coupling Constants

W. C. Bailey

September 18, 2016



Amides

Table 1: ^{14}N χ_{zz} ($= \chi_{cc}$) (MHz) in C_s Amides. (References are given below.)

Formamide	$\text{HC}(=\text{O})\text{NH}_2$	-3.8510(11)
N-Methylformamide	$\text{HC}(=\text{O})\text{N}(\text{H})\text{CH}_3$	-4.0358(28)
N,N-Dimethylformamide	$\text{HC}(=\text{O})\text{N}(\text{CH}_3)_2$	-4.364(2)
N-Vinylformamide, <i>trans</i>	$\text{HC}(=\text{O})\text{N}(\text{CH}=\text{CH}_2)_2$	-3.6416(11)
N-Vinylformamide, <i>cis</i>	$\text{HC}(=\text{O})\text{N}(\text{CH}=\text{CH}_2)_2$	-3.6396(20)
Diformamide	$[\text{HC}(=\text{O})]_2\text{NH}$	-3.41(7)
Acetamide	$(\text{CH}_3)\text{C}(=\text{O})\text{NH}_2$	-3.9458(22)
N- <i>tert</i> -Butylacetamide	$(\text{CH}_3)\text{C}(=\text{O})\text{N}(\text{H})\text{C}(\text{CH}_3)_3$	-3.920(10)
N-Methylacetamide	$(\text{CH}_3)\text{C}(=\text{O})\text{N}(\text{H})\text{CH}_3$	-4.1410(9)
N-Acetylglycine	$(\text{CH}_3)\text{C}(=\text{O})\text{N}(\text{H})\text{CH}_2\text{C}(=\text{O})\text{OH}$	-4.184(12)
N,N-Dimethylacetamide	$(\text{CH}_3)\text{C}(=\text{O})\text{N}(\text{CH}_3)_2$	-4.6461(16)
Propionamide	$(\text{CH}_3\text{CH}_2)\text{C}(=\text{O})\text{NH}_2$	-3.9762(48)
N-Methylpropionamide	$(\text{CH}_3\text{CH}_2)\text{C}(=\text{O})\text{N}(\text{H})\text{CH}_3$	-4.168(19)
Propiolamide	$(\text{HC}\equiv\text{C})\text{C}(=\text{O})\text{NH}_2$	-3.82(8)
Acrylamide	$(\text{CH}_2=\text{CH})\text{C}(=\text{O})\text{NH}_2$	-4.60(30)
2-Fluoroacetamide	$(\text{CH}_2\text{F})\text{C}(=\text{O})\text{NH}_2$	-3.7008(27)
Cyanofornamide	$(\text{C}\equiv\text{N})\text{C}(=\text{O})\text{NH}_2$	-3.79(7)
Formanilide ^a	$\text{HC}(=\text{O})\text{N}(\text{H})\text{C}_6\text{H}_5$	-3.671(22)
Acetanilide ^b	$(\text{CH}_3)\text{C}(=\text{O})\text{N}(\text{H})\text{C}_6\text{H}_5$	-3.8189(38)
Paracetamol ^c	$(\text{CH}_3)\text{C}(=\text{O})\text{N}(\text{H})\text{C}_6\text{H}_4\text{OH}$	-3.8276(44)

^a N-Phenylformamide

^b N-Phenylacetamide

^c N-(4-Hydroxyphenyl)acetamide

Table 2: ^{14}N NQCC tensors (MHz) in C_1 Amides. (References are given below.)

	N,N-Methylethyl	N,N-Diethylacetamide	
	Formamide	Conformer I	Conformer II
χ_{aa}	1.665(4)	1.06868(58)	1.49797(61)
χ_{bb}	2.132(5)	2.00481(50)	2.37712(63)
χ_{cc}	-3.797(4)	-3.07349(50)	-3.87508(63)
χ_{ab}	0.079(62) ^a	-0.119(50) ^b	-0.233(90) ^b
χ_{ac}	-1.389(62) ^a	2.675(50) ^b	-1.720(90) ^b
χ_{bc}	-0.778(62) ^a	0.121(50) ^b	-0.396(90) ^b
χ_{xx}	1.829(58)	2.001(14)	1.972(65)
χ_{yy}	2.387(59)	2.388(41)	2.435(45)
χ_{zz}	-4.216(31)	-4.389(40)	-4.408(50)
η	0.132(20)	0.0881(99)	0.105(18)

^a *Ab initio* value. The estimated uncertainty is $2\times$ the root mean square difference between calculated and experimental diagonal components. See <http://nqcc.wcbailey.net/MeEtNCHO.html>

^b *Ab initio* value. The estimated uncertainty is $2\times$ the root mean square difference between calculated and experimental diagonal components. See <http://nqcc.wcbailey.net/NNDEA.html>

Continued on next page

	N-Ethylformamide	N-Ethylacetamide	N-Methyldiacetamide
χ_{aa}	1.3794(13)	1.7508(32)	1.7360(7)
χ_{bb}	0.8171(20)	1.8333(45)	2.0388(7)
χ_{cc}	-2.1965(20)	-3.5841(45)	-3.7748(7)
χ_{ab}	-0.735(54) ^a	0.1686 ^b	0.030(34) ^c
χ_{ac}	-1.536(54) ^a	-1.651(71)	0.121(34) ^c
χ_{bc}	-2.318(54) ^a	0.595(59)	-0.155(34) ^c
χ_{xx}	1.882(46)	1.898(12)	1.7364(62)
χ_{yy}	2.110(58)	2.220(37)	2.0453(63)
χ_{zz}	-3.993(51)	-4.118(39)	-3.7816(25)
η	0.057(18)	0.0784(96)	0.0817(23)
	N-Acetyethanolamine ^d	N,N-Diethylpropionamide	
		Conformer OPM	Conformer OMM
χ_{aa}	1.55(3)	1.97018(79)	1.79861(93)
χ_{bb}	1.54(5)	1.1524(8)	2.4354(9)
χ_{cc}	-3.09(5)	-3.1225(8)	-4.2340(9)
χ_{ab}	0.362(112) ^e	-0.244(40) ^f	-0.057(56) ^f
χ_{ac}	-1.834(112) ^e	0.544(40) ^f	-1.062(56) ^f
χ_{bc}	1.068(112) ^e	2.262(40) ^f	-0.336(56) ^f
χ_{xx}	1.77(6)	2.025(8)	1.980(18)
χ_{yy}	2.19(8)	2.430(31)	2.452(6)
χ_{zz}	-3.96(9)	-4.455(31)	-4.432(19)
η	0.105(25)	0.0909(72)	0.106(4)

^a *Ab initio* value. The estimated uncertainty is 2× the root mean square difference between calculated and experimental diagonal components. See <http://nqcc.wcbailey.net/NEFA.html>

^b *Ab initio* value derived by R.Kannengießer, et al. (Reference given below.)

^c *Ab initio* value. The estimated uncertainty is 2× the root mean square difference between calculated and experimental diagonal components. See <http://nqcc.wcbailey.net/NMeDiacetamide.html>

^d N-(2-Hydroxyethyl)acetamide

^e *Ab initio* value. The estimated uncertainty is 2× the root mean square difference between calculated and experimental diagonal components. See <http://nqcc.wcbailey.net/AEA.html>

^f *Ab initio* value. *ibid.* See <http://nqcc.wcbailey.net/DEPA.html>

Table 3: ^{14}N χ_{zz} (MHz) in Formamides, Acetamides, and Propionamides.

Formamide	HC(=O)NH_2	-3.8510(11)
N-Ethylformamide	$\text{HC(=O)N(H)CH}_2\text{CH}_3$	-3.993(51)
N-Methylformamide	HC(=O)N(H)CH_3	-4.0358(28)
N,N-Methylethylformamide	$\text{HC(=O)N(CH}_3\text{)(CH}_2\text{CH}_3\text{)}$	-4.216(31)
N,N-Dimethylformamide	$\text{HC(=O)N(CH}_3\text{)}_2$	-4.364(2)
Acetamide	$(\text{CH}_3)\text{C(=O)NH}_2$	-3.9458(22)
N- <i>tert</i> -Butylacetamide	$(\text{CH}_3)\text{C(=O)N(H)C(CH}_3\text{)}_3$	-3.920(10)
N-Acetyethanolamine	$(\text{CH}_3)\text{C(=O)N(H)CH}_2\text{CH}_2\text{OH}$	-3.96(9)
N-Ethylacetamide	$(\text{CH}_3)\text{C(=O)N(H)CH}_2\text{CH}_3$	-4.118(39)
N-Methylacetamide	$(\text{CH}_3)\text{C(=O)N(H)CH}_3$	-4.1410(9)
N-Acetylglycine	$(\text{CH}_3)\text{C(=O)N(H)CH}_2\text{C(=O)OH}$	-4.184(12)
N,N-Diethylacetamide I	$(\text{CH}_3)\text{C(=O)N(CH}_2\text{CH}_3\text{)}_2$	-4.389(40)
N,N-Diethylacetamide II	$(\text{CH}_3)\text{C(=O)N(CH}_2\text{CH}_3\text{)}_2$	-4.408(50)
N,N-Dimethylacetamide	$(\text{CH}_3)\text{C(=O)N(CH}_3\text{)}_2$	-4.6461(16)
Propionamide	$(\text{CH}_3\text{CH}_2)\text{C(=O)NH}_2$	-3.9762(48)
N-Methylpropionamide	$(\text{CH}_3\text{CH}_2)\text{C(=O)N(H)CH}_3$	-4.168(19)
N,N-Diethylpropionamide OPM	$(\text{CH}_3\text{CH}_2)\text{C(=O)N(CH}_2\text{CH}_3\text{)}_2$	-4.455(31)
N,N-Diethylpropionamide OMM	$(\text{CH}_3\text{CH}_2)\text{C(=O)N(CH}_2\text{CH}_3\text{)}_2$	-4.432(19)

Table 4: ^{14}N χ_{zz} (MHz) in Formamides and Acetamides.

	Formamide	Acetamide
	-3.8510(11)	-3.9458(22)
N- <i>tert</i> -Butyl-		-3.920(10)
N-Ethyl-	-3.993(51)	-4.118(39)
N-Methyl-	-4.0358(28)	-4.1410(9)
N,N-Diethyl- I		-4.389(40)
N,N-Diethyl- II		-4.408(50)
N,N-Methylethyl-	-4.216(31)	
N,N-Dimethyl-	-4.364(2)	-4.6461(16)
N-Phenyl-	-3.671(22)	-3.8276(44)
N-Vinyl- <i>trans</i>	-3.6416(11)	
N-Vinyl- <i>cis</i>	-3.6396(20)	
Di- <i>cis-trans</i>	-3.41(7)	
N-Methyldi- <i>cis-trans</i>		-3.7816(25)

References

- Formamide W.H.Kirchoff and D.R.Johnson, *J. Mol. Spectrosc.* 45,159(1973).
- N-Methylformamide Y.Kawashima, T.Usami, R.D.Suenram, G.Yu.Golubiatnikov, and E.Hirota, *J. Mol. Spectrosc.* 263,11(2010).
- N,N-Dimethylformamide N.Heineking and Dreizler, *Z. Naturforsch.* 48a,570(1993).
- Acetamide N.Heineking and H.Dreizler, *Z. Naturforsch.* 48a,787(1993).
- N-Methylacetamide N.Ohashi, J.T.Hougen, R.D.Suenram, F.J.Lovas, Y.Kawashima, M.Fujitake, and J.Pyka, *J. Mol. Spectrosc.* 227,28(2004).
- N-Vinylformamide R. Kannengießer, W. Stahl, H. V. L. Nguyen, and W. C. Bailey, *J. Mol. Spectrosc.* 317,50(2015).
- Diformamide W. E. Steinmetz, *J. Am. Chem. Soc.* 95, 2777 (1973).
- N,N-Dimethylacetamide M.Fujitake, Y.Kubota, and N.Ohashi, *J. Mol. Spectrosc.* 236,97(2006).
- N-Methyldiacetamide R. Kannengießer, K. Eibl, H. V. L. Nguyen, and W. Stahl, Abstract TG12, 70th International Symposium on Molecular Spectroscopy, Champaign-Urbana, 2015.
- Propionamide A.A.Mescheryakov, E.A.Alekseev, V.V.Ilyushin, R.A.Motiyenko, L.Margulès, F.J.Lovas, Abstract RJ04, 69th International Symposium on Molecular Spectroscopy, Champaign-Urbana, Ill. 2014.
- N-Methylpropionamide Y.Kawashima, R.D.Suenram, and E.Hirota, *J.Mol.Spectrosoc.* 219,105(2003).
- Propiolamide G.B.Little and M.C.L.Gerry, *J.Mol.Spectrosc.* 71,321(1978).
- Acrylamide K.-M.Marstokk, H.Møllendal, S.Samdal, *J. Mol. Struct.* 524,69(2000).
- Formanilide J.-R.Aviles Moreno, T.R.Huet, D.Petitprez, *J. Mol. Struct.* 780-781,234(2006); S.Blanco, J.C.López, A.Lesarri, W.Caminati, and J.L.Alonso, *Mol. Phys.* 103,1473(2005)
- Acetanilide C.Cabezas, M.Varela, W.Caminati, S.Mata, J.C.López, and J.L.Alonso, *J. Mol. Spectrosc.* 268,42(2011).

2-Fluoroacetamide	N.Heineking and H.Dreizler, Z. Naturforsch. 48a,787(1993).
Cyanoformamide	J.J.Christiansen, J. Mol. Spectrosc., 231,131(2005).
Paracetamol	M.Varela, C.Cabezas, J.C.López, and J.L.Alonso, J. Phys. Chem. A 117,13275(2013).
N-Acetylglycine	F.J.Lovas, R.J.Lavrich, and D.F.Plusquellic, J. Mol. Spectrosc. 228,251(2004).
N-Ethylformamide	K.Ohba, T.Usami, Y.Kawashima, and E.Hirota, J. Mol. Struct. 744-747,815(2005).
N,N-Methylethylformamide	Qi Lou and R.K.Bohn, abstract TK11, OSU International Symposium on Molecular Spectroscopy, 1995.
N,N-Diethylacetamide	R.Kannengießer, S.Klahm, H.V.L.Nguyen, A.Lüchow, and W.Stahl, J. Chem. Phys. 141,204308(2014).
N-Ethylacetamide	R.Kannengießer, M.J.Lach, W.Stahl, and H.V.L.Nguyen, ChemPhysChem 16(9), 1906 (2015).
N-Acetyethanolamine	J. R. Bailey, T. J. McMahon, R. G. Bird, and D. Pratt, 70th International Symposium on Molecular Spectroscopy, Champaign-Urbana, 2015.
N- <i>tert</i> -Butylacetamide	R.Kannengießer, W.Stahl, H.V.L.Nguyen, and I.Kleiner, J. Phys. Chem. A 120,3992(2016).
N,N-Diethylpropionamide	R.Kannengießer, W.Stahl, and H.V.L.Nguyen, J. Phys. Chem. A 120,5979(2016).